



No. KM 538852

*BSI hereby grants to:*

**PM Plastic Materials SRL**  
**Via Garibaldi, 44**  
**Almenno**  
**San Salvatore**  
**Bergamo**  
**24031**  
**Italy**

*In respect of:*

**BS EN 61386-22**

**Conduit systems for cable management. Pliable conduit systems**

*the right and Licence to use the Kitemark in accordance with the Kitemark Licence Conditions of Contract governing the use of the Kitemark, as may be updated from time to time by BSI, and as approved by the Registrar under the Trade Marks Act 1994 (the "Conditions"). All defined terms in this Licence shall have the same meaning as in the Conditions.*

*The use of the Kitemark is authorized in respect of the Product(s) detailed on this Licence provided at or from the above address.*

*For and on behalf of BSI:*

David Ford, Managing Director, BSI Product Services

First granted: 15 Aug 2008

Date: 15 Aug 2008

Page: 1 of 2

The licence remains the property of BSI and shall be returned immediately upon request. This licence does not expire. To check its validity telephone: +44 (0)8450 765600  
BSI is incorporated by Royal Charter

**BSI**  
Product Services

**BSI Product Services**

Kitemark House, Maylands Avenue, Hemel Hempstead, Hertfordshire HP2 4SQ  
United Kingdom

Tel: +44 (0)8450 765600 Website: [www.bsi-global.com](http://www.bsi-global.com)



No. KM 538852

**PM Plastic Materials SRL**

**San Salvatore**

BS EN 61386-22: 2004 Conduit systems for electrical installations

All products covered by this Kitemark Licence are detailed in product schedule document:  
KMSCH 538852 Issue 1

First granted: 15 Aug 2008

Date: 15 Aug 2008

Page: 2 of 2

The licence remains the property of BSI and shall be returned immediately upon request. This licence does not expire. To check its validity telephone: +44 (0)8450 765600  
BSI is incorporated by Royal Charter

**BSI**  
Product Services

**BSI Product Services**

Kitemark House, Maylands Avenue, Hemel Hempstead, Hertfordshire HP2 4SQ  
United Kingdom

Tel: +44 (0)8450 765600 Website: [www.bsi-global.com](http://www.bsi-global.com)

**SCHEDULE OF PRODUCTS COVERED BY KITEMARK LICENCE NUMBER KM538852**

**Document number: KMSCH538852-Iss1A**

Licensee: P M Plastic materials

Scheme: BS EN 61386-22: 2004 Pliable conduit systems (self recovering)

Updated 26 October 2009 S Corkerry.

## ICTA 3422 Range

<b>MATERIAL</b>	Polypropylene
<b>COLOURS</b>	Gray, Black, Green, Blue.Ivory
<b>CLASSIFIED TO</b>	EN 61386-1 EN 61386-22
<b>COMPRESSION RESISTANCE</b>	Class 3 medium (higher than 750N on 5 cm. at +20°C)
<b>IMPACT RESISTANCE</b>	Class 4, heavy (6 joule at -5°C)
<b>LOWER TEMPERATURE RANGE</b>	Class 2 (-5°C)
<b>UPPER TEMPERATURE RANGE</b>	Class 2 (+90°C)
<b>FLAME RESISTANCE</b>	Self extinguishing

## ICTA 3422 Products

Number	DESCRIPTION	DIAM (mm)
ICTA16	Pliable conduit 3422 grey	16
ICTA20		20
ICTA25		25
ICTA32		32
ICTA40		40
ICTA50		50
ICTA16F	Pliable conduit 3422 grey with wire	16
ICTA20F		20
ICTA25F		25
ICTA32F		32
ICTA40F		40
ICTA50F		50
ICTAA16	Pliable conduit 3422 blue	16
ICTAA20		20
ICTAA25		25
ICTAA32		32
ICTAA40		40
ICTAA50		50
ICTAA16F	Pliable conduit 3422 blue with wire	16
ICTAA20F		20
ICTAA25F		25
ICTAA32F		32
ICTAA40F		40
ICTAA50F		50
ICTAN16	Pliable conduit 3422 black	16
ICTAN20		20
ICTAN25		25
ICTAN32		32
ICTAN16F	Pliable conduit 3422 black with wire	16
ICTAN20F		20
ICTAN25F		25
ICTAN32F		32

ICTAV16	Pliable conduit 3422 green	16
ICTAV20		20
ICTAV25		25
ICTAV32		32
ICTAV16F	Pliable conduit 3422 green with wire	16
ICTAV20F		20
ICTAV25F		25
ICTAV32F		32

ICTAX16	Pliable conduit 3422 Ivory	16
ICTAX20		20
ICTAX25		25
ICTAX32		32
ICTAX16F	Pliable conduit 3422 Ivory with wire	16
ICTAX20F		20
ICTAX25F		25
ICTAX32F		32



## ICTS 2232 Range

<b>MATERIAL</b>	Polypropylene
<b>COLOUR</b>	Black
<b>CLASSIFIED TO</b>	EN 61386-1 EN 61386-22
<b>COMPRESSION RESISTANCE</b>	Class 2 (higher than 320N on 5 cm. at +20°C)
<b>IMPACT RESISTENCE</b>	Class 2 (1 joule at -15°C)
<b>LOWER TEMPERATURE RANGE</b>	Class 3 (-15°C)
<b>UPPER TEMPERATURE RANGE</b>	Class 2 (+90°C)
<b>FLAME RESISTANCE</b>	Self extinguishing

## ICTS 2232 Products

<b>Number</b>	<b>DESCRIPTION</b>	<b>DIAM (mm)</b>
ICTSN16	Pliable conduit 2232	16
ICTSN20		20
ICTSN25		25
ICTSN32		32
ICTSN40		40